



Eurofins Food and Product Testing Japan KK
Shinjuku Yocho-machi Bldg, 10-10 Yocho-machi, Shinjuku-ku
JP1620055 Tokyo - JAPAN

Analytical Report

Sample code Nr. 257-2019-07000233 Sample reception date: 16.07.2019
Analysed between: 23.07.2019 - 01.08.2019

Sample described as:



Quantity(kg):3595kg

PESTICIDES

ResultsUnit

SP918	HR	Pesticides Quechers-LC-MS/MS-XL-Tea (big)	Method: DIN EN 15662 2018-06 mod., LC-MS/MS
		Screened pesticides	<LOQ
SP930	HR	Pesticides Quechers GC-MS/MS	Method: DIN EN 15662:2018-07 mod., GC-MS/MS
		Screened pesticides	<LOQ

List of screened molecules and not detected (* = limit of quantification)

SP918	HR	Pesticides Quechers-LC-MS/MS-XL-Tea (big) (LOQ* mg/kg)			
2,4-D	0.01	Bromuconazole, cis-	0.01	Cinidon-ethyl	0.02
3-Hydroxycarbofuran	0.02	Bromuconazole, trans-	0.01	Clefoxydim	0.02
6-Benzyladenine	0.02	Bupirimate	0.01	Clethodim	0.02
Abamectin	0.05	Buprofezin	0.02	Clofentezine	0.02
Acequinocyl	0.2	Butachlor	0.01	Clomazone	0.01
Acetamiprid	0.01	Butocarboxim	0.05	Clothianidin	0.02
Acetochlor	0.01	Butocarboxim-sulfoxide	0.02	Cyantraniliprole	0.01
Acibenzolar-s-methyl	0.02	Butoxycarboxim	0.02	Cyazofamid	0.01
Acrinathrin	0.02	Butylate	0.05	Cycloxydim	0.02
Aldicarb	0.02	Carbaryl	0.01	Cyenopyrafen	0.01
Aldicarb-sulfone	0.02	Carbendazim	0.01	Cyflumetofen	0.01
Aldicarb-sulfoxide	0.02	Carbendazim/Benomyl (sum)	0.01	Cymoxanil	0.02
Ametryn	0.01	Carbofuran	0.01	Cyproconazole	0.01
Aminocarb	0.01	Carbosulfan	0.05	Cyprodinil	0.02
Atrazine	0.01	Carfentrazone-ethyl	0.02	Dazomet	0.05
Azadirachtin	0.05	Carpropamid	0.01	Demeton-S-methyl	0.02
Azoxystrobin	0.01	Chlorantraniliprole	0.01	Demeton-S-methyl-sulfone	0.02
Benalaxyl	0.01	Chlorbromuron	0.02	Desmedipham	0.02
Bendiocarb	0.01	Chlorbufam	0.05	Diallate	0.05
Benfuracarb	0.02	Chlorfluazuron	0.01	Diazinon	0.01
Benoxacor	0.02	Chloridazone	0.02	Diethofencarb	0.01
Benthiavalicarb, isopropyl-	0.01	Chlorobenzuron	0.01	Diethyltoluamide	0.01
Benzoindiflupyr	0.01	Chlorotoluron	0.02	Difenoconazole	0.02
Bifenazate	0.02	Chloroxuron	0.05	Difenoxuron	0.01
Bioresmethrin	0.02	Chlorpropham	0.05	Diflubenzuron	0.02
Bitertanol	0.02	Chlorpyrifos (-ethyl)	0.05	Diflufenican	0.02
Boscalid	0.01	Chromafenozide	0.02	Dimefuron	0.01

The results may not be reproduced except in full, without a written approval of the laboratory. The results relate only to the sample analysed.



0 5 5 1 0 1 5 2 0 0 0 0 2 5 3 6 6

Batch code EUJPTO-00006323

SP918	HR	Pesticides Quechers-LC-MS/MS-XL-Tea (big) (LOQ* mg/kg)		Batch code EUJPTO-00006323		
Dimethenamid		0.01	Fosthiazate	0.02	Nitenpyram	0.1
Dimethoate		0.01	Fuberidazole	0.02	Novaluron	0.01
Dimethomorph		0.01	Furalaxyl	0.01	Nuarimol	0.05
Diniconazole		0.02	Furathiocarb	0.02	Omethoate	0.02
Dinotefuran		0.05	Halauxifen-methyl	0.01	Oxadiazon	0.01
Dinoterb		0.05	Hexaconazole	0.01	Oxadixyl	0.01
Dioxacarb		0.02	Hexaflumuron	0.01	Oxamyl	0.01
Diphenamid		0.01	Hexazinone	0.01	Oxycarboxin	0.01
Diphenylamine		0.05	Hexythiazox	0.02	Oxydemeton-methyl	0.02
Disulfoton-sulfoxide		0.01	Imazalil	0.05	Paclobutrazol	0.01
Diuron		0.02	Imibenconazole	0.01	Paraoxon-ethyl	0.01
Dodemorf		0.02	Imidacloprid	0.01	Penconazole	0.02
Emamectin		0.02	Indaziflam	0.01	Pencycuron	0.02
Epoxiconazole		0.01	Indoxacarb	0.01	Pendimethalin	0.02
Ethiofencarb		0.02	Iprodione	0.01	Penthiopyrad	0.01
Ethiofencarb-sulfone		0.02	Iprovalicarb	0.02	Phenmedipham	0.02
Ethiofencarb-sulfoxide		0.02	Isoprocarb	0.01	Phosmet	0.02
Ethiprole		0.01	Isoprothiolane	0.02	Phosphamidon	0.01
Ethirimol		0.01	Isoproturon	0.02	Phoxim	0.02
Ethofumesate		0.02	Isoxaflutole	0.02	Piperonyl butoxide	0.01
Ethoxyquin		0.05	Isoxaflutole-diketonitrile	0.01	Pirimicarb	0.01
Etofenprox		0.01	Isoxathion	0.01	Pirimicarb, desmethyl-	0.02
Etoxazole		0.01	Kresoxim-methyl	0.02	Pirimicarb, desmethyl-formamido-	0.02
Fenamiphos-sulfoxide		0.01	Linuron	0.02	Prallethrin	0.1
Fenarimol		0.02	Lufenuron	0.01	Pretilachlor	0.01
Fenazaquin		0.01	MCPA	0.01	Prochloraz	0.02
Fenbuconazole		0.02	MCPB	0.01	Procymidone	0.1
Fenbutatin oxide		0.1	Mefenacet	0.01	Promecarb	0.01
Fenchlorphos		0.1	Mepanipyrim	0.02	Prometryn	0.01
Fenhexamid		0.02	Mesotrione	0.05	Propamocarb	0.05
Fenobucarb		0.01	Metaflumizone	0.02	Propanil	0.01
Fenoxycarb		0.02	Metalaxyl	0.02	Propaquizafop	0.02
Fenpiclonil		0.01	Metamitron	0.05	Propargite	0.02
Fenpropimorph		0.02	Metazachlor	0.01	Propham	0.05
Fenpyroximate		0.02	Metconazole	0.01	Propiconazole	0.02
Fenthion-oxon		0.01	Methabenzthiazuron	0.02	Propoxur	0.02
Fenthion-oxon-sulfoxide		0.01	Methamidophos	0.02	Propoxycarbazono	0.05
Fenthion-sulfone		0.01	Methidathion	0.05	Propyzamide	0.02
Fenthion-sulfoxide		0.1	Methiocarb	0.02	Prosulfocarb	0.01
Fipronil		0.002	Methiocarb-sulfone	0.02	Pymetrozine	0.02
Fipronil, desulfinyl-		0.002	Methiocarb-sulfoxide	0.02	Pyraclostrobin	0.01
Fipronil-sulfide		0.002	Methomyl	0.02	Pyrethrins	0.1
Fipronil-sulfone		0.002	Methoxyfenozide	0.01	Pyribencarb	0.01
Flonicamid		0.05	Metolachlor	0.02	Pyridaben	0.01
Fluazinam		0.02	Metolcarb	0.01	Pyridafol	0.01
Flubendiamide		0.01	Metoxuron	0.01	Pyridate	0.02
Fludioxonil		0.01	Metribuzin	0.05	Pyriproxyfen	0.02
Flufenacet		0.02	Milbemectin A3	0.5	Pyrimethanil	0.01
Flufenoxuron		0.02	Milbemectin A4	0.5	Pyrimidifen	0.01
Flufenzine		0.01	Molinate	0.01	Pyriproxyfen	0.02
Fluopicolid		0.01	Monocrotophos	0.01	Pyroquilon	0.01
Flusilazole		0.02	Monolinuron	0.02	Quinalphos	0.01
Flutolanil		0.01	Monuron	0.02	Quinoxifen	0.05
Flutriafol		0.01	Myclobutanil	0.02	Resmethrin	0.05
FM-6-1		0.01	Naled	0.05	Rotenone	0.02
Forchlorfenuron		0.01	Napropamide	0.02	Sethoxydim	0.01
Formetanate		0.05	Neburon	0.05	Simazine	0.02

The results may not be reproduced except in full, without a written approval of the laboratory. The results relate only to the sample analysed.



0 5 5 1 0 1 5 2 0 0 0 0 2 5 3 6 6

Batch code EUJPTO-00006323

SP918 HR Pesticides Quechers-LC-MS/MS-XL-Tea (big) (LOQ* mg/kg)

Simeconazole	0.05
Spinetoram	0.02
Spinosad	0.02
Spirodiclofen	0.02
Spiromesifen	0.01
Spirotetramat	0.01
Spirotetramat-enolglucoside	0.01
Spirotetramat-ketohydroxy	0.01
Spirotetramat-monohydroxy	0.01
Spiroxamine	0.02
Sulfentrazone	0.05
Sulfoxaflor	0.01
Tebuconazole	0.02
Tebufenozide	0.02
Tebufenpyrad	0.01
Teflubenzuron	0.02
Tepraloxydim	0.02
Terbacil	0.01
Terbutryn	0.01
Tetraconazole	0.01
Tetramethrin	0.01
Thiabendazole	0.02
Thiacloprid	0.02
Thiamethoxam	0.02
Thiobencarb	0.01
Thiocyclam	0.02
Thiodicarb	0.02
Thiofanox	0.05
Thiofanox-sulfone	0.02
Thiofanox-sulfoxide	0.02
Thiophanate-methyl	0.02
Tolclofos-methyl	0.02
Tolfenpyrad	0.01
Tralkoxydim	0.02
Triadimefon	0.01
Triadimenol	0.02
Trichlorfon	0.05
Tricyclazole	0.01
Tridemorph	0.1
Trifloxystrobin	0.02
Triflumizole	0.01
Triflumuron	0.01
Triforine	0.05
Triticonazole	0.01
TRITOSULFURON	0.01
XMC	0.05
Zoxamide	0.02

SP930 HR Pesticides Quechers GC-MS/MS (LOQ* mg/kg)

1,4-dimethylnaphthalene	0.01	Azinphos-methyl	0.02	Bromophos-methyl	0.01
2-Phenylhydrochinone	0.05	Benfluralin	0.01	Bromopropylate	0.01
2-Phenylphenol	0.01	Bifenox	0.01	Bromoxynil-octanoate	0.02
Acephate	0.02	Bifenthrin	0.01	Bromuconazole, cis-	0.01
Aclonifen	0.01	Biphenyl	0.01	Bromuconazole, trans-	0.01
Alachlor	0.01	Bromacil	0.01	Buprofezin	0.02
Aldrin	0.01	Bromfenvinphos	0.01	Butamifos	0.01
Anthraquinone	0.01	Bromocyclen	0.01	Butralin	0.01
Azinphos-ethyl	0.02	Bromophos-ethyl	0.01	Cadusaphos	0.02

The results may not be reproduced except in full, without a written approval of the laboratory. The results relate only to the sample analysed.



0 5 5 1 0 1 5 2 0 0 0 0 2 5 3 6 6

Batch code EUJPTO-00006323

SP930	HR	Pesticides Quechers	GC-MS/MS (LOQ* mg/kg)				
Carbaryl			0.02	Dimethylvinphos	0.01	Heptachlor	0.01
Carbophenothion			0.1	Dinobuton	0.01	Heptachlor epoxide, cis-	0.01
Carbophenothion-methyl			0.01	Dioxabenzofos	0.01	Heptachlor epoxide, trans-	0.01
Carboxin			0.01	Dioxathion	0.05	Heptenophos	0.01
Chinomethionate			0.01	Diphenylamine	0.01	Hexachlorobenzene (HCB)	0.01
Chlordane, cis-			0.01	Disulfoton	0.01	Hexaconazole	0.01
Chlordane, oxy-			0.01	Disulfoton-sulfon	0.01	Hexazinone	0.01
Chlordane, trans-			0.01	Ditalimfos	0.01	Indoxacarb	0.02
Chlorfenapyr			0.01	Edifenphos	0.01	Iodofenphos	0.01
Chlorfenson			0.01	Endosulfan sulphate	0.01	Ioxynil-octanoate	0.01
Chlorfenvinphos			0.01	Endosulfan, alpha-	0.01	Iprobenfos	0.01
Chlormephos			0.02	Endosulfan, beta-	0.01	Iprodione	0.01
Chlorobenzilate			0.01	Endrin	0.01	Isazophos	0.02
Chloroneb			0.02	Endrin ketone	0.01	Isobenzan	0.01
Chloropropylate			0.01	EPN	0.01	Isocarbofos	0.02
Chlorothalonil			0.01	Ethalfuralin	0.01	Isofenphos	0.01
Chlorpropham			0.01	Ethion	0.01	Isofenphos-methyl	0.01
Chlorpyrifos (-ethyl)			0.01	Ethoprophos	0.01	Isopropalin	0.01
Chlorpyrifos-methyl			0.01	Etofenprox	0.01	Kresoxim-methyl	0.01
Chlorthal-dimethyl			0.01	Etoxazole	0.01	Leptophos	0.01
Chlorthion			0.01	Etridiazole	0.01	Lindane (gamma-HCH)	0.01
Chlorthiophos			0.01	Etrimfos	0.01	Malaoxon	0.02
Chlozolinate			0.01	Famoxadone	0.01	Malathion	0.02
Coumaphos			0.01	Fenamiphos	0.01	Mephosfolan	0.02
Crufomate			0.01	Fenamiphos-sulfone	0.02	Mepronil	0.05
Cyanofenphos			0.01	Fenazaquin	0.01	Metazachlor	0.01
Cyanophos			0.01	Fenchlorphos	0.01	Methacriphos	0.01
Cyfluthrin			0.01	Fenchlorphos oxon	0.01	Methamidophos	0.1
Cyhalothrin, lambda-(incl. Cyhalothrin, gamma-)			0.01	Fenfluthrin	0.02	Methidathion	0.01
Cypermethrin			0.01	Fenitrothion	0.01	Methoxychlor, p,p'	0.01
Cyproconazole			0.01	Fenobucarb	0.02	Metrafenone	0.01
DDD, o,p-			0.01	Fenpropathrin	0.01	Metribuzin	0.01
DDD, p,p'-			0.01	Fenson	0.02	Mevinphos	0.01
DDE, o,p-			0.01	Fensulfothion	0.01	Mirex	0.01
DDE, p,p'-			0.01	Fensulfothion-oxon-sulfone	0.01	Monocrotophos	0.02
DDT, o,p'-			0.01	Fenthion	0.01	Myclobutanil	0.01
DDT, p,p'-			0.01	Fenthion-oxon-sulfone	0.01	N-Desethyl-pirimiphos-methyl	0.02
Deltamethrin			0.01	Fenvalerate (RR-/SS-Isomers)	0.01	Nitrapyrin	0.01
Demeton-O			0.01	Fenvalerate (RS-/SR-Isomers)	0.01	Nitrofen	0.01
Demeton-S			0.01	Fipronil	0.01	Nonachlor, trans-	0.01
Demeton-S-methyl			0.01	Fipronil, desulfinyl-	0.01	Omethoate	0.02
Demeton-S-methyl-sulfone			0.02	Fipronil-sulfone	0.01	Oxadiazon	0.01
Desmetryn			0.01	Fluchloralin	0.01	Oxyfluorfen	0.01
Dialifos			0.01	Flucythrinate	0.01	Paraoxon-ethyl	0.1
Diazinon			0.01	Flumetralin	0.02	Paraoxon-methyl	0.01
Dicapthon			0.01	Fluorodifen	0.01	Parathion	0.01
Dichlobenil			0.01	Fluquinconazole	0.01	Parathion-methyl	0.01
Dichlofenthion			0.01	Flusilazole	0.01	Pendimethalin	0.01
Dichlofluanid			0.1	Folpet	0.02	Pentachloranisole	0.01
Dichlorvos			0.01	Fonofos	0.02	Pentachloroaniline	0.01
Dicloran			0.01	Formothion	0.02	Pentachlorophenol	0.01
Dicofol, o,p-			0.04	Fosthiazate	0.01	Pentachlorothioanisole	0.01
Dicofol, p,p-			0.02	Halfenprox	0.01	Permethrin	0.01
Dicrotophos			0.01	HCH, alpha-	0.01	Phenkapton	0.02
Dieldrin			0.01	HCH, beta-	0.01	Phenothrin	0.01
Diflubenzuron			0.05	HCH, delta-	0.01	Phenthoate	0.01
Dimethoate			0.01	HCH, epsilon-	0.01	Phorate	0.02

The results may not be reproduced except in full, without a written approval of the laboratory. The results relate only to the sample analysed.



Analytical Report Nr. AR-19-JP-002348-01



0 5 5 1 0 1 5 2 0 0 0 0 2 5 3 6 6

Batch code EUJPTO-00006323

SP930	HR	Pesticides Quechers	GC-MS/MS (LOQ* mg/kg)	
		Phorate-sulfone	0.02	Triazophos 0.01
		Phorate-sulfoxide	0.02	Trichloronat 0.01
		Phosalone	0.01	Triflumizole 0.01
		Phosfolan	0.01	Trifluralin 0.01
		Phosmet	0.01	Triticonazole 0.01
		Phosphamidon	0.02	Vamidothion 0.02
		Phospholan-methyl	0.01	Vinclozolin 0.01
		Phthalimide (PI)	0.02	
		Picoxystrobin	0.01	
		Piperonyl butoxide	0.01	
		Pirimiphos-ethyl	0.01	
		Pirimiphos-methyl	0.01	
		Plifenate	0.01	
		Procymidone	0.01	
		Profenofos	0.01	
		Profluralin	0.01	
		Prometryn	0.02	
		Propaphos	0.01	
		Propargite	0.05	
		Propazine	0.01	
		Propetamphos	0.02	
		Propiconazole	0.01	
		Proquinazid	0.01	
		Prothiofos	0.01	
		Prothoate	0.01	
		Pyraclofos	0.01	
		Pyrazophos	0.02	
		Pyridaben	0.02	
		Pyridalyl	0.01	
		Pyridaphenthion	0.01	
		Pyrifenox	0.02	
		Pyrimethanil	0.02	
		Quinalphos	0.05	
		Quintozene	0.01	
		S 421	0.01	
		Sebuthylazine	0.02	
		Silafluofen	0.01	
		Spirodiclofen	0.01	
		Spiromesifen	0.01	
		Sulfotep	0.01	
		Sulprofos	0.01	
		tau-Fluvalinate	0.01	
		Tecnazene	0.01	
		Tefluthrin	0.01	
		TEPP	0.01	
		Terbufos	0.01	
		Terbufos-sulfone	0.01	
		Terbutylazine	0.01	
		Terbutryn	0.1	
		Tetraclorvinphos	0.01	
		Tetraconazole	0.01	
		Tetradifon	0.01	
		Tetrasul	0.01	
		Thiometon	0.01	
		Tolclofos-methyl	0.01	
		Transfluthrin	0.02	
		Triallate	0.01	

The results may not be reproduced except in full, without a written approval of the laboratory. The results relate only to the sample analysed.

Analytical Report Nr. AR-19-JP-002348-01



Batch code EUJPTO-00006323

The tests identified by the two letters code HR are performed in laboratory Eurofins Dr. Specht International GmbH.

LOQ indicates the Limit of quantification.



Takuichiro Omi
Analytical Service Manager

***** END OF REPORT *****